### Toxic Gas in Community Head 1-50-3-L

From: Damage Control Training Team (DCTT)

To: Commanding Officer, USCGC HEALY (WAGB-20)

Subj: DCTT Drill: 18AUG04

Used This Drill	Prop / Simulation	Simulated Casualty
Х	Bucket with Bleach and Ammonia marked on the side	Toxic Gas

The following safety issues / simulations will **ALWAYS** be in effect onboard *HEALY*:

- A. Activation of installed CO<sub>2</sub> Flooding System / AFFF flooding system / Salt water flooding system.
- B. Charging of fire hoses in any machinery space.
- C. Discharge of portable fire extinguishers without specific direction from a DCTT/ECCTT member.
- D. Destructive access or clearance of equipment for simulated DC efforts.
- E. Spraying water on Helo's.
- F. Dumping the Flume Tank.

<u>DCTT Communications</u>: primary WIFCOM channel 4 secondary Dial phone.

**DCTT Mode of training: Training** 

Repair locker mode of training: Training

Risk	assessment

Number\_\_\_\_

Green Amber Red

## **OBJECTIVES THIS DRILL:**

#### MOB-D1005 Toxic Gas

- Take emergency and rescue actions
   Identify source of casualty
- 3. Determine and take appropriate recovery action
- 4. Ventilate toxic gases

#### DCTT Members & Assignments:

Member Name	Assignment	Tasking Sheet
EO	Bridge	1, 2, 3, 4
EMC	Repair Locker	1, 2, 3, 4
MK1	ECC	1,2
DCC	On Scene, Instigator	1
MK1	Boundaries	1
EM1	Repair electrician	Training
DC2	On Scene Leader	1, 2, 3
ET1	AFT Investigator	1, 2, 3
1 <sup>st</sup> Lt	FWD Investigator	1, 2, 3
BMC	Team Leader	1, 2, 3
HSC	Stretcher Bearer	As per medical card

#### SAFETY WALK THROUGH: Completed by ALL DCTT in perspective areas.

Complete ½ hour prior to drill.

Report to DCC when walk through is complete.

$\sim$	_		_	$\overline{}$	$\sim$	
SC	<b>⊢</b> I	N		N.	11	٠
$\cdot$	_	v	_	•		

In preparation for a possible school tour at the next Science party offload in Nome, the MAA tasks SN to clean the community head, 1-50-3-L. The MAA's wording was that he wanted the space cleaned top to bottom and "so clean that I wouldn't hesitate to eat off the deck". SN temperature remembers seeing an old bottle of ammonia in the Bos'n Hole and retrieves it along with a bottle of bleach and starts cleaning right after the noon meal. SN to find SN to find

#### Brief notes:

- a. Any person not wearing an SCBA who enters the community head, 1-50-3-L will pass out if they do not evacuate immediately.
- b. The bridge must make a pipe every 5 minutes warning personnel to stay clear of the affected space.
- c. Gas clearance will be made be rigging a ram fan through QAWTD 1-63-3, QAWTD 1-80-1 and QAWTD 1-105-1
- d. Drill secures when the space has been certified gas free.
- e. SN MAN / BM1 Our trusted agents. BM1 will go to the bridge to complete his OOD PQS.

# SAFETY WALK THROUGH: Completed by ALL DCTT in perspective areas. Complete ½ hour prior to drill. Report to DCC when walk through is complete.

**Training Time Out**: A training time out may be called by training team members if a situation arises that requires more time to train than allowed in the timeline. Additionally, training time out may be called if watchstander(s) is performing procedures incorrectly and corrective action and/or on scene training by the training team member will disrupt the timeline. Training time out may be called if the training team loses control of the drill.

Training Time In shall be given by the training team leader when situation is corrected or proper training has been completed.

**Safety time out**: Safety is the primary concern when training. A safety time out may be called by any crewmember or training team member if a watchstander places themselves or equipment in an unsafe environment or condition. In a safety time out the drill will be stopped and corrective action will be taken to correct the situation. The **Commanding Officer** has exclusive authority to restart the drill once he is satisfied that the condition to run the drill are safe.

, DCC	XO	, CAPT
DCTT Leader		Commanding Officer

#### (b)(6)&(7)(c)